

LTS RESEARCH LABORATORIES, INC.
MATERIAL SAFETY DATA SHEET
ALUMINUM CHROMIUM ALLOY

1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: ALUMINUM CHROMIUM ALLOY
CHEMICAL FORMULA: Al-Cr

MANUFACTUER/SUPPLIER: Stanford Advanced Materials
COMPANY'S STREET: 23661 Birtcher Dr., Lake Forest, CA 92630
U.S.A.

EMERGENCY CHEMTREC #: (949) 407-8904
COMPANY'S EMERGENCY TEL. #: (949) 407-8904
(This telephone number is available 24
hours per day, 7 days per week.)

RECOMMENDED USE: SCIENTIFIC RESEARCH AND DEVELOPMENT

2. HAZARDS IDENTIFICATION

SIGNAL WORD: WARNING



HAZARD SYMBOLS: HIGHLY FLAMMABLE AS POWDER
SUSPECTED CARCINOGEN

HMIS HEALTH RATINGS (0-4):

HEALTH: 1
FLAMMABILITY: 0 (3 IF POWDER)
REACTIVITY: 1 (2 IF POWDER)

3. COMPOSITION

CHEMICAL FAMILY: METAL ALLOY
ADDITIONAL NAMES: ALUMINUM CHROMIUM
ALUMINUM (Al):
PERCENTAGE: 0-100 wt%
CAS #: 7429-90-5
CHROMIUM (Cr):
PERCENTAGE: 0-100 wt%
CAS #: 7440-47-3

4. FIRST AID PROCEDURES

IMPORTANT SYMPTOMS: NONE
SPECIAL TREATMENT: NONE
INHALATION: REMOVE VICTIM TO FRESH AIR, KEEP WARM AND QUIET,
GIVE OXYGEN IF BREATHING IS DIFFICULT AND SEEK
MEDICAL ATTENTION IF SYMPTOMS PERSIST.

INGESTION: GIVE 1-2 GLASSES OF MILK OR WATER AND INDUCE
VOMITING, SEEK MEDICAL ATTENTION IF SYMPTOMS
PERSIST. NEVER INDUCE VOMITING OR GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS PERSON.

SKIN:	REMOVE CONTAMINATED CLOTHING, BRUSH MATERIAL OFF SKIN, WASH AFFECTED AREA WITH MILD SOAP AND WATER, AND SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST.
EYES:	FLUSH EYES WITH LUKEWARM WATER, LIFTING UPPER AND LOWER EYELIDS, FOR AT LEAST 20 MINUTES. SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST.

5. FIRE AND EXPLOSION HAZARDS DATA

FLAMMABILITY:	NON-FLAMMABLE, EXCEPT AS POWDER
FLASH POINT:	N/A
AUTOIGNITION TEMPERATURE:	N/A
EXTINGUISHING MEDIA:	USE DRY EXTINGUISHING AGENT SUCH AS SAND. DO NOT USE WATER.
SPEC. FIRE FIGHTING PROCEDURE:	USE FULL-FACE, SELF-CONTAINED BREATHING APPARATUS WITH FULL PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. FUMES FROM FIRE IS HAZARDOUS. ISOLATE RUNOFF TO PREVENT ENVIRONMENTAL POLLUTION.
UNUSUAL FIRE & EXPLOSION HAZ:	WHEN HEATED TO DECOMPOSITION, MAY EMIT TOXIC METAL OXIDE FUMES.

6. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED/ SPILLED:	WEAR APPROPRIATE RESPIRATORY AND PROTECTIVE EQUIPMENT SPECIFIED IN SPECIAL PROTECTION INFORMATION. ISOLATE SPILL AREA AND PROVIDE VENTILATION. VACUUM UP SPILL USING A HIGH EFFICIENCY PARTICULATE ABSOLUTE (HEPA) AIR FILTER AND PLACE IN A CLOSED CONTAINER FOR DISPOSAL. TAKE CARE NOT TO RAISE DUST.
ENVIRONMENTAL PRECAUTIONS:	N/A

7. HANDLING AND STORAGE

HANDLING CONDITIONS:	WASH THOROUGHLY AFTER HANDLING.
HMS PROTECTIVE EQUIPMENT:	GLASSES, GLOVES, APRON, DUST RESPIRATOR
STORAGE CONDITIONS:	STORE IN A COOL DRY PLACE IN A TIGHTLY SEALED CONTAINER.
WORK/HYGIENIC MAINTENANCE:	IMPLEMENT ENGINEERING AND WORK PRACTICE CONTROLS TO REDUCE AND MAINTAIN CONCENTRATION OF EXPOSURE AT LOW LEVELS. USE GOOD HOUSEKEEPING AND SANITATION PRACTICES. DO NOT USE TOBACCO OR FOOD IN WORK AREA. WASH THOROUGHLY BEFORE EATING AND SMOKING. DO NOT BLOW DUST OFF CLOTHING OR SKIN WITH COMPRESSED AIR.
VENTILATION:	TO MAINTAIN CONCENTRATION AT OR BELOW TLV.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA PEL:	1 mg/m ³ (AS CHROMIUM METAL)
ACGIH TLV:	0.5 mg/m ³ (AS CHROMIUM METAL)
LD50/LC50:	ORL-RAT LDLO: 560 mg/kg
SPECIAL EQUIPMENT:	NONE
RESPIRATORY PROTECTION:	NIOSH APPROVED DUST/MIST RESPIRATOR
PROTECTIVE GLOVES:	RUBBER GLOVES
EYE PROTECTION:	SAFETY GLASSES
OTHER:	PROTECTIVE GEAR SUITABLE TO PREVENT CONTAMINATION.

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

COLOR	SILVERY GREY
FORM:	POWDER, PIECES, PELLETS, GRANULES, SPUTTERING TARGET
ODOR:	ODORLESS
SOLUBILITY IN H ₂ O:	INSOLUBLE
BOILING POINT:	N/A
MELTING POINT:	660 °C AS PURE ALUMINUM, 1857 °C AS PURE CHROMIUM
SPECIFIC GRAVITY (H ₂ O=1):	N/A
MOLECULAR WEIGHT:	N/A

10. REACTIVITY

STABILITY:	STABLE
INCOMPATIBILITY:	POWDER INCOMPATIBLE WITH AIR AND WATER, BASES, HALOCARBONS. OTHERWISE, AVOID STRONG OXIDIZING AGENTS AND ACIDS.
HAZ. DECOMPOSITION PRODUCTS:	METAL OXIDE FUME
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

EMERGENCY OVERVIEW:	TO THE BEST OF OUR KNOWLEDGE THE CHEMICAL, PHYSICAL & TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN THOROUGHLY INVESTIGATED AND RECORDED.
---------------------	---

POTENTIAL HEALTH EFFECTS:

EYE:	MAY CAUSE ABRASIVE IRRITATION.
SKIN:	MAY CAUSE ABRASIVE IRRITATION
INGESTION:	MAY CAUSE GASTROINTESTINAL DISORDERS.
INHALATION:	ALUMINUM IN AEROSOLS HAS BEEN IMPLICATED IN ALZHEIMER'S DISEASE.

ROUTES OF ENTRY:	INHALATION, SKIN, EYES, AND INGESTION.
TARGET ORGANS:	NONE
SIGNS & SYMPTOMS OF EXPOSURE:	PRE-EXISTING RESPIRATORY DISORDERS, IMPAIRED LIVER OR KIDNEY FUNCTION.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	N/A
--	-----

CARCINOGEN:

NTP:	N/A
IARC MONOGRAPHS:	NO
OSHA REGULATED:	NO
RTECS:	YES

12. ECOLOGICAL INFORMATION

ECOLOGICAL DATA IS NOT AVAILABLE.

13. DISPOSAL CONSIDERATIONS

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

14. TRANSPORTATION DATA

HAZARDOUS:	HAZARDOUS ONLY AS POWDER
UN NUMBER:	UN3208

UN PROPER SHIPPING NAME:

METALLIC SUBSTANCE, WATER REACTIVE, N.O.S.
(ALUMINUM CHROMIUM ALLOY)



HAZARD CLASS:

4.3

PACKING GROUP:

II

ROAD TRAN. ADR/RID CLASS:

4.3 (W2) SUBSTANCES WHICH, IN CONTACT WITH WATER,
EMIT FLAMMABLE GASES.

AIR TRAN. ICAO/IATA CLASS:

4.3 SUBSTANCES WHICH, IN CONTACT WITH WATER, EMIT
FLAMMABLE GASES.

MARITIME TRAN. IMDG CLASS:

4.3 SUBSTANCES WHICH, IN CONTACT WITH WATER, EMIT
FLAMMABLE GASES.

15. REGULATORY INFORMATION

SEC.302 (EHS):

NO

SEC.304 (RQ):

N/A

SEC.313 (SARA):

YES

16. OTHER INFORMATION

THIS SAFETY DATA SHEET SHOULD BE USED IN CONJUNCTION WITH TECHNICAL SHEETS. IT DOES NOT REPLACE THEM. THE INFORMATION GIVEN IS BASED ON OUR KNOWLEDGE OF THIS PRODUCT, AT THE TIME OF PUBLICATION. IT IS GIVEN IN GOOD FAITH. THE ATTENTION OF THE USER IS DRAWN TO THE POSSIBLE RISKS INCURRED BY USING THE PRODUCT FOR ANY OTHER PURPOSE OTHER THAN THAT FOR WHICH IT WAS INTENDED. THIS DOES NOT IN ANY WAY EXCUSE THE USER FROM KNOWING AND APPLYING ALL THE REGULATIONS GOVERNING HIS ACTIVITY. IT IS THE SOLE RESPONSIBILITY OF THE USER TO TAKE ALL PRECAUTIONS REQUIRED IN HANDLING THE PRODUCT. THE AIM OF THE MANDATORY REGULATIONS MENTIONED IS TO HELP THE USER TO FULFILL HIS OBLIGATIONS REGARDING THE USE OF HAZARDOUS PRODUCTS.

DATE MSDS PREPARED:

06/25/14

DATE LAST REVISED:

N/A